

N WORLD DESIGN



NEW EVOLUTION LINE

# TROLLEY

## CARRRELLI



Mini Carrello Evolution - Mini-Trolley Evolution

Codice - Code	Descrizione - Description
CAR000003	Mini carrello evolution per inverter Mini trolley evolution for inverter



Carrello Universale - Universal Trolley

Codice - Code	Descrizione - Description
CAR000006	Carrello universale Universal trolley

# A NEW GENERATION TROLLEY



**Carrello New Evolution grande - New Evolution Trolley big**

Codice - Code	Descrizione - Description
CAR000009	Carrello New Evolution grande per IMIG 353 New Evolution Trolley big for IMIG 353



**Carrello New Generation - New Generation Trolley**

Codice - Code	Descrizione - Description
CAR0000014	Carrello New Generation per inverter TIG/MIG New Generation Trolley for TIG/MIG Inverter



**Carrello New Evolution industriale - New Evolution Trolley industrial**

Codice - Code	Descrizione - Description
CAR000002	Carrello New Evolution industrial New Evolution Trolley industrial
CAR000004	Carrello New Evolution industrial grande New Evolution Trolley industrial big



**Carrello New Evolution Navy - New Evolution Trolley Navy**

Codice - Code	Descrizione - Description
CAR0000010	Carrello New Evolution Navy New Evolution Trolley Navy
CAR0000011	Carrello New Evolution Navy grande New Evolution Trolley Navy big



**Gruppo di raffreddamento - Water Cooling System**

Codice - Code	Descrizione - Description
WP8000003	Gruppo di raffreddamento W POWER 8 PLUS Water cooling system W POWER 8 PLUS



**Gruppo di raffreddamento - Water Cooling System**

Codice - Code	Descrizione - Description
	Sistema di raffreddamento W POWER 8, 115V - 220V - 400 V W POWER 8 Cooling system, 115V - 220V - 400 V

# WELDING MASK EVOLUTION

## AUTO-DARKENING HELMET



Maschera di saldatura  
Welding Mask

### PROTEZIONE - PROTECTION

Gamma completa di protezione per occhi e viso, orientamento del flusso efficace nel ridurre l'inalazione di gas e polveri di saldatura dannosi per la salute, protezione contro radiazioni UV e IR.

Full range of eye and face protection, air flow-oriented, effective in reducing the harmful welding gases and dust damage on your health, protection against UV and IR radiations.

### GUSCIO ESTERNO - SHELL

Guscio esterno realizzato con materiale resistente alle alte e basse temperature, alla corrosione e alla fiamma.

Shell made by material high and low temperature resistant, corrosion and flame resistant

### PIASTRE PROTETTIVE - PROTECTIVE PLATES

Doppie piastre protettive realizzate con tecnologia di rivestimento sottovuoto per garantire una protezione più efficace e sicura

Double protective plates made of vacuum coating technology, can provide more effective and safer protection for you.



cod. WME000001



Protezione da radiazioni UV e IR  
UV and IR Radiation protection



Design originale ed ergonomico  
Original and ergonomic design



Visiera Auto-oscurante  
Auto-darkening visor

# ACCESSORI ACCESSORIES

## Torce per saldatura MIG MIG welding torches

### Raffreddate ad aria - Air cooled



BND 300 E		
Codice - Code	BND000002	BND000003
Lung. cavo - Cable length (m)	3	4
A al r.i. 60% - A at 60% d.c.	300	300
Filo - Wire (mm)	0,6 - 1,6	0,6 - 1,6



BND 400 E	
Codice - Code	BND000001
Lung. cavo - Cable length (m)	4
A al r.i. 60% - A at 60% d.c.	400
Filo - Wire (mm)	0,8 - 2,0

### Raffreddate ad acqua - Water cooled



NWP 501W		
Codice - Code	NTW000010	NTW000020
Lung. cavo - Cable length (m)	3	4
A al r.i. 60% - A at 60% d.c.	500	500
Filo - Wire (mm)	0,8 - 2,0	0,8 - 2,0

## Torce per saldatura MIG MIG welding torches

# ACCESSORI ACCESSORIES

### Raffreddate ad aria - Air cooled



NW15R	
Codice - Code	NW15R0001
Lung. cavo - Cable length (m)	3
Duty Cycle	60%
Filo - Wire (mm)	0,6 - 1,2



NW25R	
Codice - Code	NW25R0001
Lung. cavo - Cable length (m)	4
Duty Cycle	60%
Filo - Wire (mm)	0,8 - 1,2

### Raffreddate ad acqua - Water cooled



NW61WR	
Codice - Code	NW61WR001
Lung. cavo - Cable length (m)	4
Duty Cycle	100%
Filo - Wire (mm)	0,9 - 2,0



NW61AWR	
Codice - Code	NW61AWR01
Lung. cavo - Cable length (m)	3
Duty Cycle	100%
Filo - Wire (mm)	0,9 - 2,0

# ACCESSORI ACCESSORIES

## Torce per saldatura TIG TIG welding torches

### Raffreddate ad aria - Air cooled



TT17A		
Codice - Code	TT17A0001	TT17A0002
Lung. cavo - Cable length (m)	4	8
Rating: DC/AC	150A / 105A	150A / 105A

TT26A		
Codice - Code	TT26A0001	TT26A0002
Lung. cavo - Cable length (m)	4	8
Rating: DC/AC	180A / 125A	180A / 125A

### Raffreddate ad acqua - Water cooled



WTT20		
Codice - Code	WTT20A003	WTT20A004
Lung. cavo - Cable length (m)	4	8
Rating: DC/AC	225A / 160A	225A / 160A

WTT18		
Codice - Code	WTT18A001	WTT18A002
Lung. cavo - Cable length (m)	4	8
Rating: DC/AC	380A / 270A	380A / 270A

## Torce per taglio PLASMA PLASMA cutting torches

# ACCESSORI ACCESSORIES

### NEW NWH SERIES



NWH 105		
Codice - Code	NWH000003	NWH000004
Lung. cavo - Cable length (m)	6	12
Corrente Max - Max Current (A)	105 at 60% D.C.	105 at 60% D.C.



NWH 105 AUTOMATIC		
Codice - Code	NWH000007	NWH000008
Lung. cavo - Cable length (m)	6	12
Corrente Max - Max Current (A)	105 at 60% D.C.	105 at 60% D.C.



NWH 160		
Codice - Code	NWH000001	NWH000002
Lung. cavo - Cable length (m)	6	12
Corrente Max - Max Current (A)	160 at 60% D.C.	160 at 60% D.C.



NWH 160 AUTOMATIC		
Codice - Code	NWH000005	NWH000006
Lung. cavo - Cable length (m)	6	12
Corrente Max - Max Current (A)	160 at 60% D.C.	160 at 60% D.C.



NWH 40		
Codice - Code	NWH000009	
Lung. cavo - Cable length (m)	4	
Corrente Max - Max Current (A)	40 at 60% D.C.	

# ACCESSORI ACCESSORIES

## Regolazione a distanza e cavi Remote Control and cables



Regolazione a distanza - Remote control	
Codice - Code	Lunghezza cavo - Cable length (m)
DC0000005	5
DC0000010	10
DC0000020	20
DC0000030	30
DC0000040	40
DC0000050	50

Cavo con pinza portaelettrodo - Cable with electrode holder clamp		
STANDARD	AD1	Lunghezza cavo - Cable length (m)
<b>16mm<sup>2</sup></b>		
EC1600003	-	3
EC1600004	-	4
<b>25mm<sup>2</sup></b>		
EC2500003	-	3
EC2500004	EC25AD104	4
<b>35mm<sup>2</sup></b>		
EC3500004	EC35AD104	4
EC3500010	EC35AD110	10
EC3500020	EC35AD120	20
<b>50mm<sup>2</sup></b>		
EC5000004	EC50AD104	4
EC5000010	EC50AD110	10
EC5000020	EC50AD120	20
<b>70mm<sup>2</sup></b>		
EC7000004	EC70AD104	4
EC7000010	EC70AD110	10
EC7000020	EC70AD120	20

Cavo massa con morsetto - Earthing cable with terminal		
STANDARD	AD1	Lunghezza cavo - Cable length (m)
<b>16mm<sup>2</sup></b>		
HC1600003	-	3
HC1600004	-	4
<b>25mm<sup>2</sup></b>		
HC2500003	-	3
HC2500004	HC25AD104	4
<b>35mm<sup>2</sup></b>		
HC3500004	HC35AD104	4
HC3500010	HC35AD110	10
HC3500020	HC35AD120	20
<b>50mm<sup>2</sup></b>		
HC5000004	HC50AD104	4
HC5000010	HC50AD110	10
HC5000020	HC50AD120	20
<b>70mm<sup>2</sup></b>		
HC7000004	HC70AD104	4
HC7000010	HC70AD110	10
HC7000020	HC70AD120	20
HC7000004-6	HC70AD104-6	4
HC7000010-6	HC70AD110-6	10
HC7000020-6	HC70AD120-6	20